

Claims

What is claimed is:

1. An insulating, multi-ply packaging material used in connection with the packaging and shipping of goods, comprising:

a first layer of sheet material having a substantially flat surface; and

a second layer of sheet material including flexible bubble wrap material

5 having at least one side having a series of bubbles thereon, each bubble having an outermost surface, said first layer and said second layer being associated together with the outermost surfaces of said bubbles being in contacting, face-to-face, interfacing engagement with said flat surface, forming a multitudinous series of pockets of gaseous media between said bubbles and said flat surface, enhancing the temperature insulating characteristics of the packing material.

2. The insulating, multi-ply packaging material of **Claim 1**, wherein:

said first layer and said second layer are laminated together.

3. The insulating, multi-ply packaging material of **Claim 1**, wherein there is further included:

a further, third layer of sheet material associated with said first and said second layers of sheet material and located along side of said first layer and on the 5 side of said first layer opposite to said second layer, said third layer being a foam material.

4. The insulating, multi-ply packaging material of **Claim 3**, wherein:

said first layer of sheet material is a sheet of plastic film with a metallized surface in contact with the bubbles of said bubble wrap material.

5. The insulating, multi-ply packaging material of **Claim 3**, wherein:

said first layer of sheet material is a plastic film; and
wherein there is further included:

a foil layer between said plastic film and said bubble wrap material.

6. The insulating, multi-ply packaging material of **Claim 1**, wherein:

said first layer material is a layer of foam material; and
wherein there is further included:

a foil layer between said foam material and said bubble wrap material..

5 7. The insulating, multi-ply packaging material of **Claim 1**, wherein:

 said associated first and second layers of sheet material form a pouch
into which the goods are placed for shipment.

 8. The insulating, multi-ply packaging material of **Claim 1**, wherein there is
further included with said pouch:

 flexible refrigerant material having a series of spaced packets containing
super-absorbent polymeric material, which when hydrated by a liquid at a signifi-
cantly different temperature than the ambient generates a significant temperature delta
between the goods and the ambient, the refrigerant wrapped goods being positioned
in and completely covered by said pouch.

 9. The insulating, multi-ply packaging material of **Claim 8**, wherein there is
further included:

 a further sheet of bubble wrap material surrounding the pouch with the
goods located in the pouch; and

5 a delivery box having substantially flat interior surfaces defining an
interior into which the goods are placed for shipment, the bubbles of said further
sheet of bubble wrap material being directed away from said pouch and toward the
interior surfaces of said box.

10. The insulating, multi-ply packaging material of **Claim 9**, wherein:

the bubbles of said bubble wrap material are in face-to-face engagement with said interior wall surfaces, forming a further multitudinous series of pockets of gaseous media between said bubbles and said substantially flat, interior surfaces of said box, enhancing the temperature insulating characteristics of the combined bubble wrap materials and the walls of said box.

11. The insulating, multi-ply packaging material of **Claim 1**, wherein:

said associated first and second layers of sheet material form a cover;

and

wherein there is further included:

a delivery box into which the goods are placed for shipment, said cover being placed all about said box, covering it over and protecting it.

12. The insulating, multi-ply packaging material of **Claim 1**, wherein there is further included:

a box having interior wall surfaces, said wall surfaces forming said flat surface which interfaces with said outermost surfaces of said bubbles, said gaseous media pockets being formed between the interior wall surfaces of said box and said bubble wrap material.

13. The insulating, multi-ply packaging material of **Claim 1**, wherein there is included one or more of the other innovative unobvious features disclosed in the foregoing specification.

FOR THE

14. A packaging system for products, comprising:

a corrugated cardboard, packing box having an interior made up of a set of flat surfaces; and

an interior layer of bubble wrap packing material having at least one side
5 having a series of bubbles thereon each having an outermost surface, said packaging material and the interior of said box being associated together with the outermost surfaces of said bubbles being in contacting engagement with said flat surfaces, forming a series of pockets of gaseous media between said bubbles and said flat surface, enhancing the insulating characteristics of said packing material and said box.

15. The packaging system of Claim 14, in which there is further included:

a cover placed all about said box, covering it over and protecting it.

16. The packaging system of Claim 15, wherein said cover comprises:

a plastic sheet with a metallized surface, with the metallized surface located facing out toward the exterior ambient surrounding the box.

17. The packaging system of **Claim 14**, in which there is further included:

a first layer of flexible sheet material having a substantially flat surface;

and

a second layer of flexible sheet material including flexible bubble wrap

5 material having at least one side having a series of bubbles thereon, each bubble having an outermost surface, said first layer and said second layer being associated together with the outermost surfaces of said bubbles being in contacting, face-to-face, interfacing engagement with said flat surface, forming a multitudinous series of
10 pockets of gaseous media between said bubbles and said flat surface, enhancing the temperature insulating characteristics of the packing material, said associated layers of sheet material used to be placed around the goods, with the goods and the surrounding combined, first and second layers being located in the interior of said box.

18. The insulating, multi-ply packaging material of **Claim 17**, wherein there is further associated with said combined layers of flexible material:

flexible refrigerant material having a series of spaced packets containing super-absorbent polymeric material, which when hydrated by a liquid at a signifi-
5 cantly different temperature than the ambient generates a significant temperature delta between its temperature and the ambient, the refrigerant material in association with

said two, filexilble layers of sheet material surrounding the goods and located in the interior of said box.

20040226000

19. A packaging system for a product, comprising:

a multi-ply packaging material, including –

– a first layer of flexible material having a flat surface on its exterior with the product surrounded by said first layer; and

5 – an exterior layer of flexible, bubble wrap packaging material having at least one side with a series of bubbles thereon, each bubble having an outermost surface, said packaging material and first layer of material being associated together with the outermost surfaces of said bubbles being in contacting engagement with said flat surfaces, forming a series of pockets of gaseous media between said
10 bubbles and said flat surface, enhancing the insulating characteristics of said packing material and said first layer about the product; and

a delivery box containing the product with said multi-ply material totally surrounding and encompassing the product.

20. The packaging system of **Claim 19**, in which there is further included:

one or more of the other significant, unobvious features disclosed in the foregoing specification.